



TECHNICAL DATA SHEET

INSTA-SHINE PLUS

INSTA- SHINE PLUS



DESCRIPTION

INSTA-SHINE PLUS is a solvent-containing product formulated from superior synthetic resins and waxes. The product is characterized by the following features:

- Fast drying
- Strong color intensification
- High degree of gloss
- Stable to yellowing
- Water and dirt resistant
- Especially easy to maintain

APPLICATION AREA

INSTA SHINE PLUS is suited for reworking rough, ground, porous, and absorbent surfaces made of natural and artificial stones, such as:

- Marble
- Granite
- Slate
- Solnhofen slabs
- Sandstone
- Quartzite
- Terrazzo

- Fair-faced concrete
Especially ideal for corners, edges, and frames that cannot be polished mechanically.

INSTRUCTIONS FOR USE

Surface Preparation:

- Ensure the surface is clean, completely dry, and free from all contaminants.
- Use appropriate cleaners like Stone Cleaner, Concrete Film Remover, Rust Remover, Algae and Moss Remover POWER, Wax Stripper, Oil and Grease Remover Paste, or Graffiti Remover if necessary.
- Rinse thoroughly with water and allow the surface to dry completely before application.

Application:

- Apply INSTA SHINE PLUS undiluted and evenly in a thin layer using a brush, paint roller, or lint-free cloth.
- Avoid direct sunlight and high humidity during application.
- Let the surface dry for 10 to 60 minutes depending on temperature and conditions.
- For highly absorbent surfaces, apply a second coat.

SPECIAL NOTES

- Use Liquid Glove to protect hands during application.
- Do not use on glazed, fine-ground, polished, or damp surfaces.
- For outdoor durability, we recommend using INSTA SHINE PLUS Colour Changer instead.
- Not suited for burnt products like cotto, clinker, or stoneware.
- INSTA SHINE PLUS is not scratch-proof.
- Protect sensitive materials (e.g., plastics, rubber, lacquered parts) from contact.
- Close container tightly after use to prevent contamination and solvent evaporation.
- Store and use the product between 4°C and 40°C

TECHNICAL DATA SHEET (TDS)



PACKAGING 100 ml

TECHNICAL SUPPORT

Color: Transparent
Density: Approx. 1.43 g/cm³

STORAGE

Shelf life: 2 years when stored in a cool, frost-free place in tightly sealed original containers

TECHNICAL SUPPORT

Manufactured By Industrial 9-Warehouse, Behind Shirawi Enterprise, Ras Al Khor Industrial Area 2, Dubai, UAE

India Facility: 1025/1/A, Babla Compound, Gaibi Nagar, Kalyan Road, Bhiwandi, Maharashtra – 421302

www.lisauae.com | contact@lisauae.com