



# LISA

INNOVATION FOR STONE & SURFACE CARE!



**Start your surface journey with  
LISA perfection from the ground up** ►



Email: [contact@lisauae.com](mailto:contact@lisauae.com)



Website: [www.lisauae.com](http://www.lisauae.com)



**Experience the perfect blend of  
innovation and reliability—  
because your stone deserves nothing less!**



# Enhancing Homes with Excellence in Your Homes SINCE 2025

**At LISA**, we go beyond just manufacturing high-quality products—we understand the unique challenges of the stone industry. Stone surfaces, whether marble, granite, or other natural materials, require specialized care to maintain their timeless beauty. That's why our extensive range of products is meticulously formulated to provide effective, hassle-free solutions tailored to these specific needs. We take pride in offering a comprehensive product range that caters to every aspect of stone care. Whether you're a contractor working on a large-scale architectural project or a homeowner looking to preserve the brilliance of your stone surfaces, LISA has the perfect solution for you.

☒ **Adhesives & Sealants** – Strong, durable bonding solutions.

☒ **Polishing & Enhancers** – Restore and enhance stone brilliance.

☒ **Cleaners & Stain Removers** – Keep surfaces spotless and protected.

☒ **Grouts & Fillers** – Ensure seamless and long-lasting finishes.



**GERMAN FORMULATION**

***Beyond Products ~  
We Deliver Solutions***



[www.lisauae.com](http://www.lisauae.com)



[contact@lisauae.com](mailto:contact@lisauae.com)



# LISA

# CONTENT

01



## ADHESIVE SOLUTION

Adhesives provide strong, durable, and reliable bonding solutions for stone, ceramic, concrete, and more—ensuring seamless results for every project.

02



## EPOXY SOLUTION

Epoxy Technology delivers high-strength, durable, and chemical-resistant solutions ensuring superior adhesion and long-lasting performance for stone and construction applications.

03



## LITHIUM BASED DENSIFYING SOLUTION

Lithium-Based Densifying Technology enhances surface hardness, durability, and stain resistance, providing long-lasting protection for concrete and stone surfaces.

04



## CLEANING SOLUTION

Cleaning Technology offers powerful and effective solutions to remove stains, dirt, and residues, ensuring spotless and well-maintained stone and surface finishes.


05



## STONE BONDING SOLUTION

Stone Bonding Technology ensures superior adhesion and durability, creating strong, long-lasting bonds for marble, granite, and other natural stones.


06



## POLISHING SOLUTION

Polishing Technology enhances the natural beauty of stone surfaces, delivering a brilliant shine, improved durability, and long-lasting protection.

07



## EPOXY GROUT SOLUTION

High-performance epoxy grout solution designed for durable, stain-resistant, and hygienic tile joints—ideal for modern interiors and exteriors.

08



## POLYESTER BASE SOLUTION

Polyester-Based Technology provides high-strength bonding and fast-curing solutions, ensuring durable and reliable adhesion for stone and surface applications.

09



## PROTECTION SOLUTION


Polishing Technology enhances the natural beauty of stone surfaces, delivering a brilliant shine, improved durability, and long-lasting protection.

10



## COLOR TINT

Color Tint enhances and enriches the natural tones of stone surfaces, providing long-lasting vibrancy, depth, and aesthetic appeal.



# ADHESIVE SOLUTION

LISA Adhesives are designed for exceptional bonding strength, durability, and versatility. Whether working with stone, ceramic, concrete, or metal, our high-performance adhesives ensure long-lasting, reliable results. Trusted by professionals and homeowners alike, LISA Adhesives make every bond stronger and every project seamless.

A person's hands are shown applying a thick, grey adhesive to a surface using a notched trowel. The adhesive is being spread in a series of parallel ridges. In the background, a stack of white tiles is visible. The overall scene is brightly lit, suggesting an indoor construction or renovation project.

**BOND WITH THE BEST**

**LISA**

## CERAFIX 1111

Grey colour, cementitious ceramic tile adhesive with reduced slip. In compliance with TS EN 12004-1:2017 C1T standards IS 15477:2019 (TYPE 2).

### Properties

- High adhesion strength
- Easily trowellable

### Field of application

For bonding of small and medium sized floor and wall ceramic tiles, marbles, natural stones, travertine and decorative bricks on cementitious renders, cementitious screeds and concrete.

**Pack Size: 20Kg & 40Kg**



A high-performance, polymer-modified acrylic cementitious tile adhesive, formulated with premium acrylic additives for enhanced durability and application ease. It fully complies with: TS EN 12004-1:2017 – Classification C2EIS 15477:2019 – Type 2

### Properties

- High Adhesion Strength (C2 / Type 2)
- Extended Open Time (E)

### Field of application

Application Used for bonding ceramic tiles, granite tiles, natural stones, marbles, absorbent or non-absorbent surfaces, for both indoor and outdoor areas, walls, and floors, with an application thickness of up to 10 mm.

**Pack Size: 20Kg & 40Kg**



## CERAFIX 555



**LISA**

## ECO FLEX 1313

Polymer modified cementitious tile adhesive for fixing Ceramic tiles, Porcelain tiles, Vitrified low thickness tiles, marbles of small formats on kitchen, Bathroom and Corridor area. For internal and external use both horizontally and vertically.

### Features:

- Tile on tile application
- Long open time slip resistance

In compliance with TS EN 12004-1:2017 C1TE standards.  
IS 15477 : 2019 (TYPE 2)

**Pack Size: 20Kg | 40Kg**



## ECO FLEX 1515

Polymer modified high performance deformable cementitious adhesive suitable for all kind of climate conditions with high adhesion performance, long lasting feature and flexibility for internal and external wall cladding. For ceramic tiles, porcelain tiles, natural stones, press bricks and glass mosaics in vibration prone areas.

### Features:

- Tile on tile application
- For light and dark coloured natural stones
- Longer open time
- Mixed only with water
- Does not slip in vertical applications.

In compliance with TS EN 12004-1:2019 C2TE S1 Flex standards. IS 15477 : 2019 (TYPE 4)

**Pack Size: 20Kg | 40Kg**



**LISA**

## ECO FLEX 333

Polymer modified high performance deformable cementitious adhesive suitable for anuando conditions with high adhesive performance, long lasting feature and flexibility for internal and external wall cladding in vibration prone area. For ceramic tiles, highly flexible porcelain tiles, natural stones, press bricks and glass mosaic.

### Features:

- Tile on tile application
- For light and dark coloured natural stones
- Longer open time
- Mixed only with water
- Does not slip in vertical applications.

In compliance with TS EN 12004 - 1:2019 C2TE S2 Flex standards. IS 15477 : 2019 (TYPE 5)

**Pack Size: 20Kg | 40Kg**



## LITAFILL-600



**LITAFILL-600** is polymer modified cement based non sanded grout which is ideal for fitting & finishing of all types of tiles, marble and stone's joints in interior or exterior for both floors & walls, grouting of joint treatment with resistant water type joint.

### Features:

- Extra fine finish
- High resistant to sunlight
- Easy to clean
- High performance grout
- Excellent water resistance
- Designed for grouting wall & floor tiles, marbles, & stones etc.

Natural antibacterial

**Pack Size: 1Kg**



**LISA**

## MULTI BOND



**MULTIBOND** is a high-performance, two-component polyurethane adhesive formulated for fixing ceramic tiles and natural stones on challenging substrates such as metal, PVC, and plastic-coated boards. Its solvent-free composition makes it eco-friendly and safe for both interior and exterior applications.

### Features:

- Excellent workability
- Waterproof and weather resistant
- Long open time
- High tensile, compressive & shear strength
- Shrinkage-free curing
- Superior durability and ageing resistance
- High deformability with hard-elastic properties
- Multi-purpose and safe to use
- Plasticizer-free formulation



**Pack Size: 4Kg | 8Kg**

# EPOXY SOLUTION

LISA Epoxy Solutions are designed to provide superior strength, durability, and chemical resistance for a wide range of applications, including bonding, sealing, and surface protection. With excellent adhesion to stone, concrete, and various materials, our epoxy solutions ensure long-lasting performance, weather resistance, and enhanced structural integrity for both residential and industrial projects

**MARBLE  
FILLER**

**SUPERIOR ADHESION,  
LASTING PROTECTION**



**LISA**

## CLEARX PRO 1009

**CLEARX PRO 1009(A+B)** Epoxy resin is a water clear, low viscosity resin system for coating, doming, marble crack filler and resin art applications. It is a solvent free epoxy specifically formulated as a clear, ultra-high gloss coating system that will self-level and cure at room temperature (15°C to 32°C). The system has excellent air-release and has been optimised for extended UV stability.

### Application

The surfaces to be coated should be dry and free from contaminants. Use two clean plastic containers of equal volume to measure the correct proportion of resin and hardener.



**Pack Size: 1.5Kg | 4.2Kg**

## ULTRASEAL-1120

**ULTRA-SEAL-1120** Epoxy resin is a water clear, low viscosity resin system for coating, doming, marble crack filler and resin art applications. It is a solvent free epoxy specifically formulated as a clear, ultra-high gloss coating system that will self-level and cure at room temperature (15°C to 32°C). The system has excellent air-release and has been optimised for extended UV stability.

### Feature:

- Concentrated, fast acting
- Can be diluted with water to desired ratio
- Easy to use, reduced odour Provides clean surroundings
- Effective against efflorescence and cement haze

**Pack Size: 1.25kg 4:1kg**



**LISA**

## ECO-POX EPOXY GEL

**ECO-POX EPOXY GEL 1:1 RATIO** is multipurpose epoxy based, moisture tolerant structural adhesive with extra clear transparent look with 1:1 mixing ratio. It features high bonding strength and bearing capacity with molecular flex and toughness. It is ideal for freeze/thaw conditions and can withstand vibration and shock load during transportation. It is easy to use. Suitable for filling, bonding, reinforcing, repairing and sealing. It has excellent chemical resistance. 100% UV resistant with non-yellowing feature. Suitable for horizontal and vertical applications.



### Application

- Bonding of natural stones like marble, travertine etc.
- Bonding of surfaces like concrete, granite, tile and wood.

**Pack Size: 2Kg**



## LEO-POX-5020

**LEO-POX-5020** is a gel form, transparent, UV resistant, non-yellowing, moisture tolerant, structural adhesive with 2:1 mixing ratio, hardening in 45 min. It can be used when a precise and sensitive adhesion surface is needed (>1mm). It features high bonding strength and bearing capacity. Cured LEO-POX-5020 is a stone like yet elastic, chemically inert, high strength, solid and does not change on aging. The hardened product is stress free and retains strength and elasticity over a range of temperatures from above 90°C to as low as -30°C without softening or embitterment.



**WHITE JOINT  
FILLER**

**Pack Size:**  
2.25Kg (1.500gms + 750gms)



**LISA**

## LEXA-GEL-9009

**LEXA- GEL-9009** is a gel form, transparent, UV resistant, non- yellowing, moisture tolerant, structural adhesive with 2:1 mixing ratio, hardening in 45 min. It can be used when a precise and sensitive adhesion surface is needed (>1mm). It features high bonding strength and bearing capacity. Cured LEXA-GEL-9009 is a stone like yet elastic, chemically inert, high strength, solid and does not change on aging. The hardened product is stress free and retains strength and elasticity over a range of temperatures from above 90°C to as low as -30°C without softening or embitterment.

**Pack Size:**

2.25Kg (1.500gms + 750gms)

**JOINT  
FILLER**



# LITHIUM BASED DENSIFYING SOLUTION

LISA The Lithium-Based Densifying System enhances surface hardness, durability, and resistance to wear and staining. Designed for concrete and stone applications, it penetrates deep to strengthen surfaces, providing long-lasting protection and a polished finish.

**DEEP PENETRATION,  
SUPERIOR STRENGTH.**

**LISA**

## LAMINANT SEAL-200N

Advance lithium chemistry which is water-based solution requires no rinsing and is VOC compliant in all areas of the world. When applied on surface, it penetrates up to 14 inch (7mm) where it react with free calcium to form insoluble calcium silica hydrate, which makes marble or stone more water, stain and abrasion resistant for easier maintenance and longer life. It is also suitable for marble, natural stones and concrete polishing procedures and helps prolong the life of polished finishes.

### Feature:

For the treatment of ground and polished absorbent marble, natural stone, lime stone, sandstone, granite or concrete.

**Pack Size: 1L | 5L | 20L**



## LAMINANT SEAL-1200N



Penetrating Nano-Lithium treatment for marble, natural stone, terrazzo and polished concrete surfaces formulated specifically for surfaces which has been ground and polished up to 800 grits. Environmentally friendly treatment also reduces efflorescence abrasion resistance and reduces dusting.

### Application

For the treatment of ground and polished absorbent marble, natural stone, lime stone, sandstone, granite or concrete.

**Pack Size: 1L | 5L | 20L**



# CLEANING SOLUTION

LISA Advanced Cleaning Solution is designed to effectively remove dirt, stains, and residues from stone, concrete, and various surfaces. Its powerful formula ensures deep cleaning without damaging the surface, restoring the original shine and maintaining long-term beauty



**POWERFUL CLEAN,  
LASTING SHINE.**

**LISA**

## ECO CLEAN

**ECO CLEAN** is a powerful, acid-based tile and stone cleaner that removes cement haze, grout film, and hard water deposits. Eco-friendly, fast-acting, and water-dilutable, it's perfect for deep cleaning indoor and outdoor surfaces.

### Feature

- High-concentration formula for strong performance
- Water-dilutable to desired cleaning strength
- Effectively removes cement haze, efflorescence, and grout residuesEco-conscious blend with reduced fumes
- Leaves tiles and stone surfaces spotless and refreshed
- Suitable for both indoor and outdoor use

**Pack Size: 1000 ml & 5000ml**



## HARDNER CLEAR



**Hardner Clear** is your go-to multipurpose cleaner, expertly formulated to cut through grease, grime, and stains across nearly every household surface. With powerful cleaning action and a fast-drying, streak-free formula, it makes everyday cleaning quick, easy, and satisfying—every single time.

### Feature

- Powerful grease and stain removal
- Lifts dirt and soil from wet surfaces
- Breaks down dust into micro-particlesFast-drying, streak-free finish
- Safe on multiple surfaces
- Easy and quick to use

**Pack Size: 1000 ml & 5000ml**



**LISA**

## EVER CLEAN

**EVER CLEAN** is a heavy duty, powerful acid based cleaner, used to remove strong haziness of cementitious grout, adhesives and other hard water deposit from tile surface. It is a highly effective water dilutable cleaner that can be diluted with water to desired proportion before cleaning of the surface.

### Feature

- Concentrated, fast acting
- Can be diluted with water to desired ratio
- Easy to use, reduced odour Provides clean surroundings
- Effective against efflorescence and cement haze

**Pack Size: 1000 ml & 5000ml**



## STAINEX+



**STAINEX+** is a high-performance, water-based stain remover designed to permanently eliminate a wide range of stains from various surfaces. Its special formulation tackles yellowing, damp stains, dark marks, stubborn discolorations, and deeply embedded colored stains without altering the original appearance of the treated surface — even the most delicate ones like polished marble and acid-sensitive finishes.

### Safety

Avoid from eyes. Must be stored away from children. Comply with the directives in latest Safety Data Sheet.

**Pack Size: 500 ml**



# STONE BONDING SOLUTION

LISA The Stone Bonding System ensures superior adhesion, durability, and strength for marble, granite, and other natural stones. Designed for high-performance applications, it provides long-lasting bonds, making it ideal for construction, restoration, and architectural projects.



**ADVANCED BONDING  
FOR STONE THAT LASTS**

**LISA**

## LEXA-BOND



**LEXA BOND** is a high-performance, two-component epoxy adhesive made from modified epoxy resin (Part A – L-X-R101) and hardener (Part B – L-X-H201). It offers strong, reliable bonding for materials like metal, ceramics, marble, and concrete in industrial applications.

**Pack Size:** 36gm | 90gm | 180gm | 360gm  
450gm | 900gm | 1Kg 800gm | 4.5Kg | 5Kg



## LEXA FAST

**LEXA FAST** is a two component epoxy adhesive ideal for general purpose applications. This two component epoxy adhesive cure fast at room temperature and when fully cured, the epoxy is resistant to a wide range of chemicals and solvents, and acts as an excellent electrical insulator. It is used for epoxy casting and designed specifically for encapsulation and potting.

### Feature

- Short pot life
- Clear appearance

**Pack Size: PROFAST (A+B)**

is available 500gm, 1kg pack and 2kg pack.



**LISA**

## LEXA-QUICK

**LEXA-QUICK** is a low viscosity, methyl based cyanoacrylate adhesive. It is designed to bond a wide range of similar and dissimilar materials involving metal. Handling strength in most applications is in 5 to 10 seconds.



**Pack Size:** 20gm | 50gm



# POLISHING SOLUTION

LISA Polishing System enhances the natural beauty of stone surfaces by providing a brilliant, long-lasting shine. Designed for marble, granite, and other natural stones, it ensures smooth, high-gloss finishes while improving surface durability and resistance to wear

## SHINE BEYOND EXPECTATIONS



**LISA**

**L-EX SHINE** is a solvent-based, fast-absorbing wax formulated to polish and enhance the natural color of stone surfaces. Its smooth application makes it ideal even for edges and textured areas. The product boosts the material's shade and brightness, leaving a rich, glossy finish. It also provides water and stain resistance, helping reduce the effort needed for daily maintenance. Perfect for both

## Application

- Easy application
- It provides water and stain resistant properties
- It enhances the shade and brightness of the material
- It won't yellow overtime

**Pack Size:** 1000ml | 5000ml



## L-EX SHINE



## LEXA SHINE PLUS



Colour-enhancing shiner which gives a wet look to stones. Suitable for surfaces which are polished, matt finish and glossy.

## Application Area

Marbles, Granites, All types of dark marbles & dark granites

- Colour enhancer
- Recommended for indoor & outdoor application
- Protection to surfaces against oil and water
- Gives anti-graffiti (anti scratch) effect
- Coverage of 20-60 sqm/L

**Pack Size:** 1000ml | 5000ml



**LISA**

## LAMI N SHINE

**LAMI N SHINE** is a high-performance, dual-action product that both polishes and enhances the natural color of stones. Its fast-acting formula allows easy application while permitting the stone to breathe, enabling trapped moisture to escape. The product restores gloss, deepens color, and revitalizes dull surfaces without forming any surface film. Ideal for use on a wide range of natural stones, it leaves a vibrant, long-lasting shine with a natural look.

**Pack Size:** 1000ml | 5000ml



## INSTA SHINE PLUS



**INSTA-SHINE PLUS** is a solvent-containing product made of superior synthetic resin and waxes. The product is characterized by the following Qualities:

- Fast drying
- Strong colour intensification
- High degree of gloss
- Stable to yellowing
- Water and dirt resistant
- Especially easy to care

**Pack Size:** 100 ml



**LISA**

## POWER SHINE-111

**Power Shine-111** is a premium-grade polishing powder designed for all types of marble and agglomerates, including challenging marble-resin composites. Its advanced formulation delivers a fast and effective polish, producing a high-gloss, vitreous finish. Even on low-quality or difficult surfaces, it enhances shine and depth, offering superior clarity and brilliance when viewed against the light.

**Pack Size: 1Kg | 5kg**



## ULTRA SHINE



**ULTRA SHINE** is a high-performance polishing powder formulated for all types of marble and agglomerates, including difficult marble-resin blends. Its advanced composition rapidly develops a deep vitreous gloss, enhancing shine even on low-quality or hard-to-polish surfaces. The product chemically reacts with the stone to provide a brilliant finish, along with excellent resistance to traffic marks and stains — all without the use of waxes.

**Pack Size: 1kg | 5kg**



**LISA**

## HEXA SHINE SOLID WAX

**HEXA SHINE SOLID WAX** is a fast-drying, solvent-based solid wax to polish and restore surfaces without foot traffic, such as walls, tops and work surfaces. Its formula, containing top-quality paraffin, gives an excellent shine to the surfaces on which it is used and at the same time, it enhances the tone and look. **HEXA SHINE SOLID WAX** also stands out for its quick, easy application, thanks to its fast-drying action. A surface treated with **HEXA SHINE SOLID WAX** is also protected against water and stain penetration, thanks to its water and oil-repellence, which also make successive cleaning and maintenance operations easier. **HEXA SHINE SOLID WAX** is generally used on natural stone surfaces but it can also be used on cotto, terracotta, cement agglomerates, cementine and terrazzo tiles.

**Pack Size: 750 Gms**



# EPOXY GROUT SOLUTION

Lisa Epoxy Grout A premium, two-component epoxy -based grout specially formulated for tile and stone applications. It offers superior strength, stain and chemical resistance, and a smooth, seamless finish—making it ideal for both interior and exterior use in residential, commercial, and industrial spaces.



**TOUGH GROUT,  
TIMELESS FINISH.**

**LISA**

## CERAPOX



**Cerapox Epoxy Grout** is a high-performance, two-component system designed for both indoor and outdoor grouting of ceramic, vitrified tiles, and natural stone. It delivers outstanding durability, superior stain and chemical resistance, and excellent hygiene—perfect for areas where long-lasting strength and a bacteria-free finish are essential.

### Features:

- High durability & bond strength
- Stain, dirt & bacteria resistant
- Acid, chemical & water resistant
- Easy to apply & clean
- Hygienic, non-cracking finish
- UV-stable & weather resistant
- Non-shrinking formula

**Pack Size: 5Kg & 1Kg**



# POLYESTER BASE SOLUTION

Lisa Polyester-Based System is engineered for fast-curing, high-strength bonding and filling of natural stones like marble and granite. It offers excellent workability, color matching, and durability—ideal for vertical and horizontal applications, repairs, and seamless joint finishes

## WHERE SPEED MEETS STRENGTH



**LISA**

## POLY GEL

**POLY GEL** is gel paste like creamy, 2-component product based on unsaturated polyester resins dissolved in styrene. Good working properties on horizontal surfaces due to gel paste like creamy consistency. Fast hardening, Good working properties (grinding, milling, drilling), excellency polishable, very good adhesion on nature stones also at higher temperatures.

### Application:

**POLY GEL** is mainly used in stone industry for filling and bonding natural stones. Due to their gel paste like creamy consistency the products are suited to fill small and middle -size holes and to bond horizontal and vertical surfaces. Special attention is called to the product Poly Gel which does not contain any colour pigments and can thus easily be coloured to any shade required by adding lisa Polyester colouring pastes or colouring concentrates.

**Pack Size: 1Kg & 30g hardener**



## MASTIC GLOW

**MASTIC GLOW** Premium Transparent Stone Mastic – Two-Pack System Mastic Glow is a high-performance, two-component mastic based on unsaturated polyester resins, specially formulated for marble and natural stones. It offers exceptional clarity, strong adhesion, and superior workability, making it ideal for filling, bonding, and repairing natural and engineered stones.

### Application:

Excellently suitable for bonding stones especially on vertical surfaces and for filling of big holes or big cracks and filling small and medium-size holes or cracks as well as for bonding horizontal surfaces. Also suited for reinforcement work.



**LISA**

## TRANSFAST

**TRANSFAST** is a two component polyester based transparent natural stone adhesive used for gluing and fills up porous surface stones. TRANSFAST is in paste form and used for vertical applications whereas SOLID & LIQUID TRANSFAST used for horizontal applications.

### Feature

- High reactivity,
- Rapid hardening and a very low shrinkage during
- hardening. Chemically inert and offers extended durability.
- Suitable for gluing marble, stone,  
Excellently polishable,
- Very good adhesion to the natural stones at higher temperatures and low exposures.
- Resistant to water and mineral oils



# PROTECTION SOLUTION

Lisa Protection System is designed to safeguard stone and concrete surfaces from stains, moisture, UV rays, and everyday wear. It penetrates deeply to create an invisible barrier, enhancing longevity while preserving the natural look and feel of the material.

**LASTING PROTECTION  
FOR LASTING IMPRESSIONS**

**LISA**

## NANO SHIELD

**Nano Shield** is a high-performance, next-generation impregnating treatment designed to strongly repel water, grease, and oil on absorbent natural and artificial stones. Engineered with advanced nanotechnology, it offers long-lasting protection while maintaining the stone's natural appearance and breathability.

### Application:

- Seal and protects a multitude of substrates
- Adheres to alkalines, such as ASR - compromised concrete
- Adheres to acidics, such as incompletely neutralized acid stained substrates
- Fills pores and adds gloss without risk of whitening
- Very high abrasion resistance for superior durability
- Outstanding satin resistance for multi-site use

**Pack Size:** 1000 ml & 5000 ml



## POWER DARKNER



**POWER DARKNER** is a solvent-based formulation developed with high-grade synthetic resins and specialty waxes. It is designed to intensify color, enhance gloss, and revive dull or faded surfaces, while offering long-lasting protection and ease of maintenance. Ideal for both natural and artificial stone, the product penetrates deep into the material to deliver a rich, vibrant finish that's stable and resistant to yellowing.

### Features:

- Transparent formula – perfect for light-colored stones
- Excellent adhesion on vertical and horizontal surfaces
- Easily colorable with pigment pastes or oxides
- Resistant to oils, fats, detergents, and common chemicals

**Pack Size:** 1000 ml & 5000 ml



**LISA**

## POWER SEALENT

Impregnation which intensified colour shades extremely well.  
Beginning of protective effect (20C): approx. 24-49h

### Application:

weather-resistant product with a long-term effect for indoors and outdoors. Especially suited for colour enhancement of dark and black stone (such as Nero Assoluto, Impala black and Galaxy). Weather-resistant product with a long-term effect for indoor and outdoors. Damaged areas (e.g. hairline cracks) can be treated. The surface thus obtained a homogeneous appearance. Especially suited for fine grained and polished stones.



**Pack Size: 1L | 5L**



# COLOR TINT SOLUTION

Lisa Color Tint Solution is a high-performance pigment system specially formulated to tint epoxy grouts, adhesives, and resin-based products. It ensures vibrant, long-lasting color with excellent dispersion and compatibility across a wide range of applications.

Tint It Right with Lisa  
**BOLD COLORS,  
STRONGER BOND**



**LISA**

## PIGMATEK



**PIGMATEK** is a 100% solids, high-performance tint system by Lisa, designed for epoxy liquids and gels. It contains ultra-fine pigments that disperse smoothly, delivering vibrant and consistent color. Ideal for both semi-transparent and solid finishes, without affecting epoxy performance.

**Pack Size: 50 g**





# LISA

INNOVATION FOR STONE & SURFACE CARE!



Manufactured & Imported by:

# LISA

## GERMAN TECHNOLOGY

### REGD OFFICE

**Imported By:**

**LISA KEMTECH INTL.PVT.LTD**

Industrial 9-Warehouse Behind Shirawi  
Enterprise, Ras Al Khor Industrial Area 2, Dubai, UAE

Email: [contact@lisauae.com](mailto:contact@lisauae.com) | Website: [www.lisauae.com](http://www.lisauae.com)