



TECHNICAL DATA SHEET
POWER SHINE-111

POWER SHINE-111



DESCRIPTION

POWER SHINE-111 is a high-performance polishing powder formulated for all types of marble and agglomerates, including challenging marble-resin compounds. Its advanced formulation ensures rapid development of a deep, vitreous gloss with exceptional brightness and surface clarity, even on difficult and lower-quality materials.

The product reacts chemically with the stone, delivering a long-lasting sheen, improved resistance to foot traffic, and protection against staining. **POWER SHINE-111** contains no waxes and ensures a natural-looking finish.

CHARACTERISTICS AND BENEFITS

- Produces high brightness and deep gloss
- Increases surface hardness
- Fast and effective polishing
- Versatile: suitable for new installations and restoration
- Excellent for Carrara marble and other delicate materials
- No wax residues

USES

- Interior and exterior surfaces
- White marbles, yellow marbles, colored marbles, and white engineered stones

COVERAGE

- Surface polishing: 40–50 m²/kg
- Surface maintenance: 50–100 m²/kg

APPLICATION EQUIPMENT

- Single disc machine (minimum 1.5 HP)
 - Manual rotary brush
 - White pad
- (Recommended machine: WARRIOR Single Disc Machine — 1.5 or 2.5 HP)

APPLICATION STEPS

Pre-Test:

- Always perform a small area test before full application to confirm suitability.

Surface Preparation:

- Work in small areas (about 2 m² each). Ensure the surface is clean and dry.

Application:

- Sprinkle 1–2 spoonfuls of POWER SHINE-111 on the surface section.
- Add a few drops of water to create a creamy consistency.
- Using a single disc machine with a white pad, polish in concentric motions.
- Always maintain the creamy consistency by adding water if needed.
- Continue polishing until the desired sheen is achieved.

Final Cleaning:

- Rinse the area thoroughly with clean water.
- Remove any residual slurry with a wet vacuum or clean cloth.

POLISHING MODES

Polishing:

- For honed or matte surfaces, use a larger quantity and make at least 20 passes with the machine.

Maintenance:

- For slightly worn surfaces, use a smaller quantity and make at least 15 passes.

PHYSICAL AND TECHNICAL INFORMATION

Aspect	Powder
Color	Light Yellow
Odour	Typical
ph	2,0 ± 0,5

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

PACKAGING: 1 Kg | 5 Kg

PRECAUTION

Do not allow the product to dry while polishing

SHELF LIFE

24 months in the original, sealed packaging, stored in a cool, dry place.

HAZARD IDENTIFICATION

- Harmful if swallowed
- Harmful in contact with skin
- Causes serious eye damage

TECHNICAL SUPPORT

Manufactured By Industrial 9-Warehouse, Behind Shirawi Enterprise, Ras Al Khor Industrial Area 2, Dubai, UAE

India Facility: 1025/1/A, Babla Compound, Gaibi Nagar, Kalyan Road, Bhiwandi, Maharashtra – 421302

www.lisauae.com | contact@lisauae.com