



TECHNICAL DATA SHEET
ULTRA SHINE

ULTRA SHINE



DESCRIPTION

ULTRA SHINE is a high-performance polishing powder designed for all types of marble and agglomerate, including challenging marble-resin compounds. Its advanced formulation rapidly generates a high vitreous layer, delivering a more reflective, brilliant surface than typical polishing powders. It is particularly effective on difficult-to-polish materials, even low-quality substrates. The product chemically reacts with the surface to provide a strong sheen and improved resistance to traffic marks and stains. It is wax-free. **ULTRA SHINE** can serve both as a substitute for traditional mechanical polishing and as a solution for restoring sheen on worn surfaces when mechanical polishing isn't feasible. It is also effective for periodic surface maintenance.

CHARACTERISTICS AND BENEFITS

- High brightness
- High hardness degree
- Versatile use
- Fast results
- Excellent for Carrara marble

USES

- Suitable for both interior and exterior surfaces.
- White marbles
- White engineered stones
- Yellow marbles
- Colored marbles

COVERAGE

- For surface polishing: 40–50 m²/kg
- For surface maintenance: 50–100 m²/kg

APPLICATION EQUIPMENT

- Single disc machine with at least 1.5 HP
- Manual rotary brush

LISA can supply compatible machines optimized for product application.

APPLICATION STEPS

1 Testing:

- Always test on a small hidden area first to check suitability and results.

2 Application:

- Work in small areas of about 2 m².
- Apply 1–2 spoonfuls of ULTRA SHINE per area.
- Add a few drops of water and start working with a single-disc machine and a white pad, keeping the product creamy (add water if needed).

3 Polishing:

- Continue until maximum shine is achieved.
- Check sheen during polishing by removing some product and evaluating.

4 Rinse well with clean water and vacuum up the residue.

- Polishing on Honed/Mat Materials:
- Use more powder and perform at least 20 passes with the single disc machine.

5 Maintenance on Slightly Worn Surfaces:

- Use less powder and perform at least 15 passes.

EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

PHYSICAL AND TECHNICAL INFORMATION

Aspect	Powder
Color	Light Yellow
Odour	Typical
ph	2,0 ± 0,5

PACKAGING: 1 Kg | 5 Kg

PRECAUTION

Do not allow the product to dry while polishing

SHELF LIFE

24 months in the original, sealed packaging, stored in a cool, dry place.

HAZARD IDENTIFICATION

- Harmful if swallowed.
- Harmful in contact with skin.
- Causes serious eye damage.
- Always wash hands and face thoroughly after use.
- Wear protective gloves, clothing, eye protection, and face protection.
- IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
- IF ON SKIN: Wash with plenty of soap and water.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if possible. Continue rinsing. Seek immediate medical advice.

TECHNICAL SUPPORT

Manufactured By Industrial 9-Warehouse, Behind Shirawi Enterprise, Ras Al Khor Industrial Area 2, Dubai, UAE

India Facility: 1025/1/A, Babla Compound, Gaibi Nagar, Kalyan Road, Bhiwandi, Maharashtra – 421302

www.lisauae.com | contact@lisauae.com